

IN THE SPECIFICATION:

At page 1, and on page 20 (Abstract) delete the title and insert  
--CONDENSATION CROSS-LINKING POLYURETHANE MATERIALS  
CONTAINING SPECIAL AMINOSILANES, A METHOD FOR THE PRODUCTION  
THEREOF AND THEIR USE--.

At page 1, line 3 insert the heading --BACKGROUND OF THE INVENTION--.

Before page 2, line 1 insert the heading --SUMMARY OF THE INVENTION--.

At page 3, line 18 insert the heading --DETAILED DESCRIPTION OF THE  
INVENTION--.


IN THE CLAIMS:

Cancel Claims 1-6.

Kindly add the following claims:

--7. A polyurethane composition which cross-links via silane  
polycondensation and comprises

- A) at least one alkoxy silane-functional polyurethane having end groups  
corresponding to formula (I)




wherein

R<sup>1</sup> represents an organic group having 1 to 12 carbon atoms,

n is an integer from 2 to 4 and

X, Y, Z represent identical or different organic groups, provided that at least one  
of the groups is an alkoxy group having 1 to 4 carbon atoms,

- B) at least one basic filler,  
C) at least one reaction product of  
i) at least one aminosilane corresponding to formula (II)




wherein

$\text{R}^2$  represents a hydrogen atom or an aminoethyl group and  
 $n$ ,  $\text{X}$ ,  $\text{Y}$ ,  $\text{Z}$  have the meanings set forth for formula (I),

with

ii) at least one maleic or fumaric ester corresponding to formula (III)




wherein

$\text{R}_3$  represents an alkyl group having 1 to 12 carbon atoms, and


E) at least one organometallic compound.

8. The polyurethane composition of Claim 7 wherein  $\text{R}_1$  represents a group corresponding to formula (IIb)



wherein  $\text{R}_4$  denotes an alkyl group having 1 to 4 carbon atoms.

9. The polyurethane composition of Claim 7 wherein component C) comprises an aminosilane compound corresponding to formula (V)



wherein

$R_3$  represents a linear or branched aliphatic hydrocarbon group having at most 12 carbon atoms,

$n$  is 3 and

X, Y and Z represent methoxy or ethoxy groups.

10. The polyurethane composition of Claim 7 wherein X, Y and Z each represent a methoxy or ethoxy group.

11. The polyurethane composition of Claim 8 wherein X, Y and Z each represent a methoxy or ethoxy group.

12. The polyurethane composition of Claim 9 wherein X, Y and Z each represent a methoxy or ethoxy group.

13. The polyurethane composition of Claim 7 wherein X, Y and Z each represent a methoxy group in component A).

14. The polyurethane composition of Claim 8 wherein X, Y and Z each represent a methoxy group in component A).

15. The polyurethane composition of Claim 9 wherein X, Y and Z each represent a methoxy group in component A).

16. A process for the preparation of the polyurethane composition of Claim 1 which comprises mixing components A), B), C-i) and E) with exclusion of moisture and subsequently adding component C-ii).--